

St. Kevin's Strategic Housing Development

At the former St. Kevin's Hospital and Grounds, Shanakiel, Cork

LVIA Photomontages

This book contains imagery for the viewpoints chosen for the LVIA study

December 2020

Prepared by



www.macroworks.ie

INDEX

Viewpoint 1 - Existing View + Outline View
Viewpoint 1 - Proposed Development View

Viewpoint 2 - Existing View + Outline View
Viewpoint 2 - Proposed Development View

Viewpoint 3 - Existing View + Outline View
NB - There is no Proposed Development View for this viewpoint

Viewpoint 4 - Existing View + Outline View
Viewpoint 4 - Proposed Development View

Viewpoint 5 - Existing View + Outline View
Viewpoint 5 - Proposed Development View

Viewpoint 6 - Existing View + Outline View
Viewpoint 6 - Proposed Development View

Viewpoint 7 - Existing View + Outline View
NB - There is no Proposed Development View for this viewpoint

Viewpoint 8 - Existing View + Outline View
Viewpoint 8 - Proposed Development View

Viewpoint 9 - Existing View + Outline View
Viewpoint 9 - Proposed Development View


Viewpoint 10 - Existing View + Outline View
Viewpoint 10 - Proposed Development View

Viewpoint 11 - Existing View + Outline View
Viewpoint 11 - Proposed Development View


Viewpoint 12 - Existing View + Outline View
Viewpoint 12 - Proposed Development View

Viewpoint 13 - Existing View + Outline View
Viewpoint 13 - Proposed Development View

LVIA viewpoint locations selected for the St Kevin's Strategic Housing Development - At the former St. Kevin's Hospital and Grounds, Shanakiel, Cork




Existing View



Outline View

indicating physical position and scale of the proposed development irrespective of screening



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564937	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	572357	Camera:	Canon 1-D Mark II digital SLR	Time:	13:16
Direction of View:	169° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564937	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	572357	Camera:	Canon 1-D Mark II digital SLR	Time:	13:16
Direction of View:	169° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564874	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571946	Camera:	Canon 1-D Mark II digital SLR	Time:	12:59
Direction of View:	138° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564874	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571946	Camera:	Canon 1-D Mark II digital SLR	Time:	12:59
Direction of View:	138° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Existing View



Outline View

indicating physical position and scale of the proposed development irrespective of screening



St. Kevin's Strategic Housing Development (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565670	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	572011	Camera:	Canon 1-D Mark II digital SLR	Time:	13:29
Direction of View:	118° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Existing View



Outline View

indicating physical position and scale of the proposed development irrespective of screening



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 565174
 Northing (ITM): 571840
 Direction of View 102° W of Grid North
 Angle of View: 80°

Lens: 50mm / Full Frame Sensor
 Camera: Canon 1-D Mark II digital SLR
 Camera Height: 1.7m Above Ground Level

Date: 27/02/2020
 Time: 12:49





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565174	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571840	Camera:	Canon 1-D Mark II digital SLR	Time:	12:49
Direction of View:	102° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





Outline View
indicating physical position and scale of the proposed development irrespective of screening

St. Kevin's Strategic Housing Development (Proposed)

These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565079	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571647	Camera:	Canon 1-D Mark II digital SLR	Time:	12:40
Direction of View:	46° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565079	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571647	Camera:	Canon 1-D Mark II digital SLR	Time:	12:40
Direction of View:	46° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564616	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571607	Camera:	Canon 1-D Mark II digital SLR	Time:	10:55
Direction of View:	79° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.


Easting (ITM):	564616	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571607	Camera:	Canon 1-D Mark II digital SLR	Time:	10:55
Direction of View:	79° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Existing View



Outline View
indicating physical position and scale of the proposed development irrespective of screening



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565784	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571705	Camera:	Canon 1-D Mark II digital SLR	Time:	11:26
Direction of View:	87° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				



Existing View



Outline View

indicating physical position and scale of the proposed development irrespective of screening



These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565307	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571501	Camera:	Canon 1-D Mark II digital SLR	Time:	11:07
Direction of View:	55° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565307	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571501	Camera:	Canon 1-D Mark II digital SLR	Time:	11:07
Direction of View:	55° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564436	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571453	Camera:	Canon 1-D Mark II digital SLR	Time:	12:15
Direction of View:	63° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564436	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571453	Camera:	Canon 1-D Mark II digital SLR	Time:	12:15
Direction of View:	63° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564886	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571431	Camera:	Canon 1-D Mark II digital SLR	Time:	12:23
Direction of View:	21° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564886	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	571431	Camera:	Canon 1-D Mark II digital SLR	Time:	12:23
Direction of View:	21° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564519	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570812	Camera:	Canon 1-D Mark II digital SLR	Time:	12:03
Direction of View:	39° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	564519	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570812	Camera:	Canon 1-D Mark II digital SLR	Time:	12:03
Direction of View	39° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565126	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570679	Camera:	Canon 1-D Mark II digital SLR	Time:	11:41
Direction of View:	5° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				







These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565126	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570679	Camera:	Canon 1-D Mark II digital SLR	Time:	11:41
Direction of View:	5° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565541	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570308	Camera:	Canon 1-D Mark II digital SLR	Time:	11:50
Direction of View:	19° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	565541	Lens:	50mm / Full Frame Sensor	Date:	27/02/2020
Northing (ITM):	570308	Camera:	Canon 1-D Mark II digital SLR	Time:	11:50
Direction of View:	19° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				

